

## Informationen zum Produkt

## 670Dn



| Füllvolumen:  | Ø:                           | Höhe m.D.:              | Gewicht Becher, Deckel (+/- 3%) | IML-Druck Becher       | IML-Druck Deckel    | Weiteres:   |
|---|------------------------------|-------------------------|---------------------------------|------------------------|---------------------|-------------|
| 670ml   | 101mm                        | 136,1mm                 | 26,38g / 4,77g                  | nein                   | ja                  | Siehe Spez. |
| <ul style="list-style-type: none"> <li>• PP-Spritzgussbecher mit Originalitätsverschluss (BRC-Zertifikat Lebensmittelsicherheit)</li> <li>• Standardausführung: klar mit klarem Deckel (Einfärbung in Standardfarben möglich)</li> <li>• Fertigung in Tiefkühlqualität zur Erhöhung der Schlagfähigkeit auf Anfrage (Eisindustrie)</li> </ul> |                              |                         |                                 |                        |                     |             |
| Menge je Palette:   | in 20 Kombiboxen paarig gep. | Maß/Gewicht je Umkarton | Gewicht je Folienbag            | Maß/Gewicht Palette    | Paletten-Höhe       | Weiteres:   |
| 6.320 St.   | 316 St.                      | 592x392x400mm<br>720g   | 28g                             | 1200x800x150mm<br>23kg | Inkl. Pal.<br>2,20m | Siehe Spez. |

## Standardfarben zur Einfärbung



**schwarz**



**rot**



**braun**



**weiss**



**orange**



**gelb**



**grün**



**blau**



**dunkelblau**

## Technical Data Sheet

### Container 670 ml Ø101, lid V

|                                |  |   |      |
|--------------------------------|--|---|------|
| <b>1. Dimensions</b>           | Shape:   | Round   |      |
|                                | Volume under lid:                                  | 680   | ml   |
|                                | External diameter top (with lid):                  | 103   | mm   |
|                                | External diameter bottom:                          | 73,1  | mm   |
|                                | Height (with lid):                                 | 136,1   | mm   |
| <b>2. Closure system</b>       | Closure type:                                      | Snap-On   |      |
|                                | Protective collar:                                 | Yes   |      |
|                                | Tamper evident:                                    | Yes   |      |
|                                | Lid type options:                                  | Standard lid  |      |
| <b>3. Weight*</b>              | Container:   | 26,38   | g    |
|                                | Lid:   | 4,77  | g    |
|                                | *the weight can have +/-3 % error                  |   |      |
| <b>4. Handle</b>               | Handle available:                                  | No  |      |
| <b>5. Raw material</b>         | Raw material:                                      | PP  |      |
|                                | Masterbatch colours:                               | Standard colours or colours coordinated according to customer's presented colour pallet or sample.  |      |
|                                | Approvals:   | All raw materials and masterbatches used in the production process have the appropriate food contact approvals.   |      |
| <b>6. Decoration</b>           | IML decoration (container):                        | No  |      |
|                                | IML decoration (lid):                              | Yes   |      |
| <b>7. Other characteristic</b> | Uses:  | Containers with lids are intended for direct contact with watery, acidic, fat food products, which temperature is room and lower.   |      |
|                                | Hot filling:                                       | Packaging is suitable for contact with the hot filling (85 ° C - 95 ° C) and short-term use in the microwave. Packaging must be tested by the customer with the actual product before approval for use at hot temperatures.   |      |
|                                | Cold temperatures:                                 | Package made from the special cold-resistant material can be used at temperatures below -20 °C . It is produced according to customer requirements. Packaging must be tested by the customer with the actual product before approval for use at low temperatures.                 |      |
|                                | Storage:   | Suitable storage include protection of direct sun light, rain, very high temperatures over a long period. Package must be not more than 2.4 m in height and at least 1 m away from the heat source. Recommended period of storage - 12 months after delivery to suitable storage. |      |
| <b>8. Packing</b>              | <b>Standard</b>                                    |   |      |
|                                | Containers per carton box                          | 378   | pcs. |
|                                | Lids per carton box                                | 1995  | pcs. |
|                                | Containers and lids packed together per carton box | 316   | pcs. |
|                                | Carton boxes per pallet                            | 20  | pcs. |
|                                | Containers per pallet                              | 7560  | pcs. |
|                                | Lids per pallet                                    | 39900   | pcs. |
|                                | Containers and lids packed together per pallet     | 6320  | pcs. |
|                                | Height including pallet                            | 2,2   | m    |
|                                | <b>Optional</b>                                    |   |      |
|                                | Carton boxes per pallet                            | 24  | pcs. |
|                                | Containers per pallet                              | 9072  | pcs. |
|                                | Lids per pallet                                    | 47880   | pcs. |
|                                | Containers and lids packed together per pallet     | 7584  | pcs. |
| Height including pallet        | 2,6  | m   |      |

